


CLUB SERIES SHROUD KIT (LAT)



PLEASE USE THESE INSTRUCTIONS FOR THE ASSEMBLY OF THE SHROUD KITS

ASSEMBLY INSTRUCTIONS


PARTS LIST

KEY	PART#	DESCRIPTION	QTY	KEY	PART#	DESCRIPTION	QTY
1	69223	FRONT PARTIAL SHROUD	1	5	3202408	3/8 X 3-3/4" BUTTON HEAD BOLT	12
2	69221	REAR PARTIAL SHROUD	1	6	3228501	3/8" SAE BLK WASHER	24
3	69218	FRONT FULL SHROUD	1	7	3221501	3/8" ACORN NUT	12
4	69251	REAR FULL SHROUD	1				


Tools Required for Assembly

* 9/16" wrench or rachet with 9/16" socket

^{* 7/32&}quot; Allen wrench



• **SECURELY** assemble the FRONT FULL SHROUD (3) and the REAR FULL SHROUD (4) to the TOWER using ten 3/8 X 3-3/4" BUTTON HEAD BOLTS (5), twenty 3/8" SAE BLK WASHERS (6) and ten 3/8" ACORN NUTS (7) as shown above.



- **SECURELY** assemble the FRONT PARTIAL SHROUD (1) and the REAR PARTIAL SHROUD (2) to the TOWER using twelve 3/8 X 3-3/4" BUTTON HEAD BOLTS (5), twenty-four 3/8" SAE BLK WASHERS (6) and twelve 3/8" ACORN NUTS (7) as shown above.
- PLEASE RETURN TO THE PRODUCT ASSEMBLY INSTRUCTIONS FOR FURTHER INFORMATION.