





CONFIDENTIAL

THIS DOCUMENT AND INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO PRECOR STRENGTH INCORPORATED. RECIPIENTS OF THIS DOCUMENT AGREE THAT THIS DOCUMENT AND INFORMATION WILL NOT BE USED FOR ANY PURPOSE, REPRODUCED OR COPIED, OR DISCLOSED TO ANY THIRD PARTY, EITHER IN WHOLE OR IN PART WITHOUT PRIOR EXPRESS WRITTEN PERMISSION OF PRECOR STRENGTH, INCORPORATED.

PRECOR USA
PRECOR STRENGTH, INC.


28936 AVE WILLIAMS
VALENCIA, CA 91355
TELEPHONE: 661-362-0300

SIGN IN BLUE OR BLACK INK ONLY			UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE LIN .X=±0.1 XXX=±0.010 LIN .XX=±0.02 XXXX=±0.0001 ANGULAR ±1.0° ALL DIMS AFTER PLATING BREAK ALL SHARP EDGES REMOVE ALL BURRS ALL ANGLES & BENDS 90° DWG PER ASME Y14.5M-1994 DO NOT SCALE DRAWING ALL MACHINED SURFACES			PRODUCT STRENGTH	
DRWN BY	08.15.06	VLE					
DWG CHK							
ENG	06.19.06	RSG					
MFG ENG							
CS							
QA							
ID							
REG							
						SHEET	PAGE
			C	1	1	CW31874-402	A



302KS	P/N : CW31931-402	SUBREV : D
DRAWN BY : MAH	DATE : 12.16.10	SHEET 1 OF 4







D

C

B

A






MODULAR CORE, #3	P/N : CW31926-402	SUBREV : G
DRAWN BY : MAH	DATE : 03.15.11	SHEET 1 OF 4

D

C

B

A




D

C

B

A




D

C

B


A



PAGE OF
4 4

DWG. NO.
CW31926-402

SUBREV
G



CONFIDENTIAL				PRECOR USA PRECOR STRENGTH, INC.	
THIS DOCUMENT AND INFORMATION CONTAINED HEREIN IS PROPRIETARY AND CONFIDENTIAL TO PRECOR STRENGTH INCORPORATED. RECIPIENTS OF THIS DOCUMENT AGREE THAT THIS DOCUMENT AND INFORMATION WILL NOT BE USED FOR ANY PURPOSE, REPRODUCED OR COPIED, OR DISCLOSED TO ANY THIRD PARTY, EITHER IN WHOLE OR IN PART WITHOUT PRIOR EXPRESS WRITTEN PERMISSION OF PRECOR STRENGTH, INCORPORATED.				28936 AVE WILLIAMS VALENCIA, CA 91355 TELEPHONE: 661-362-0300	
SIGN IN BLUE OR BLACK INK ONLY				UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE	
DRW BY	01.02.07	MGP		LIN	X = ±0.1 XXX = ±0.010
DWG CHK				FIN	XX = ±0.002 XXXX = ±0.0001
ENG	01.02.07	RSG		ANGULAR	±1.0°
MFG ENG				ALL DIMS AFTER PLATING BREAK ALL SHARP EDGES REMOVE ALL BURRS	
CS				ALL ANGLES & BENDS 90° DWG PER ASME Y14.5M-1994 DO NOT SCALE DRAWING	
QA				ALL MACHINED SURFACES	
ID				REF	
REG				PAGE	OF
				C	1 1
				DWG NO	CW31898-402
				SUPPLY	A
				PRODUCT STRENGTH	
				ASSEMBLY FLANGED 'C' FRAME, W/O PULLEY HSG	