


1. BOX LABEL INFORMATION (4 PLACES)
 - A. MODEL: STAR TRAC GROUP CYCLE STUDIO 5
 - B. SKU: 9-7280-MINTP0
 - C. SERIAL NUMBER: PER DOC. 050-2125
 - D. COUNTRY OF ORIGIN TO BE PRINTED ON A PE

2. ASSEMBLY TO BE PLACED IN A PLASTIC BAG TO PREVENT CONTACT WITH FOAM INSERTS
3. DOCUMENTS TO BE PLACED IN PLASTIC BAG 050-2080
4. PRODUCT TO BE PRE-PACKED WITH DESICCANT TO PREVENT HUMIDITY
5. SHIPPING WEIGHT: 131 lbs / 59.4 kg
6. CLEAN MATING AREA WITH DENATURED ALCOHOL PRIOR TO ADHERING
7. COLOR DESIGNATOR PER -XX AS SPECIFIED IN SOP 620-8222

ITEM NO.	PART NUMBER	-XX	DESCRIPTION	QTY.
1	050-5440		LABEL, STAR TRAC, 121mm X 28.7mm	1
2	050-5464		LABEL, STAR TRAC, 170mm X 41.1mm	1
3	050-5466		DECAL, LOGO, STUDIO 5, 214.1mm x 34mm	2
4	620-8349		MANUAL, OWNERS, S3/S5/S7	1
5	620-8360		REGISTRATION CARD, CORE H&F	1
6	620-8362		ASSEMBLY INSTRUCTIONS, S5	1
7	740-8182		STYROFOAM, PACKING, E-SP	1
8	740-8947-XX	-20	ASSY, BIKE, STUDIO 5	1
9	740-9035		CARTON, STUDIO BIKES	1
10	740-9044		TOOLCARD, BIKES	1





NOTICE OF PROPRIETARY INFORMATION

THIS DOCUMENT SHALL NOT BE REPRODUCED NOR SHALL THE INFORMATION CONTAINED HEREIN BE USED BY OR DISCLOSED TO OTHER EXCEPT AS EXPRESSLY AUTHORIZED BY CORE HEALTH & FITNESS, LLC.

P/N: N/A




SCALE: 1:10 | SHEET 1 OF 2 | SHEET SIZE: B



CORE HEALTH & FITNESS, LLC
4400 NE 77th Ave., Suite 300
Vancouver, WA 98662

CORE PART NO	REV
9-7280-MINTPO	A
TITLE	
STAR TRAC GROUP CYCLE STUDIO 5	
SCALE: 1:10	SHEET 2 OF 2 SHEET SIZE: B



- NOTES: (UNLESS OTHERWISE SPECIFIED)
- 1. PART NUMBER: 740-8943_004
 - 2. DESCRIPTION: ASSY, CARTRIDGE BRAKE, BIKES
 - 3. PART SHALL BE FABRICATED BY OVERMOLD
 - 4. COLOR: REFER TO 002-2347 DRAWING
 - 5. REFER TO SOLID MODEL .SLDASM FOR ANY UNDEFINED DIMENSIONS, USE SAME REVISION MODEL AS LISTED IN DRAWING.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	002-2347	BRAKE KNOB	1
2	740-8943_006	ROD, BRAKE, S5	1

CORE HEALTH & FITNESS, LLC
4400 NE 77th Ave., Suite 300
Vancouver, WA 98662

CORE PART NO
740-8943


REV
A


TITLE

SCALE: 1:2


SHEET 2 OF 3

SHEET SIZE: B






CORE HEALTH & FITNESS, LLC 4400 NE 77th Ave., Suite 300 Vancouver, WA 98662		
CORE PART NO	740-8947-XX	REV E
TITLE ASSY, BIKE, STUDIO 5		
SCALE: 1:8	SHEET 3 OF 5	SHEET SIZE: B



CORE HEALTH & FITNESS, LLC 4400 NE 77th Ave., Suite 300 Vancouver, WA 98662		
CORE PART NO	740-8947-XX	REV E
TITLE ASSY, BIKE, STUDIO 5		
SCALE: 1:5	SHEET 5 OF 5	SHEET SIZE: B

- | REVISION HISTORY | | | | |
|------------------|------------|--------------------|-------|-----|
| REV | DATE | DESCRIPTION | ECO | BY |
| A | 11/13/2015 | PRODUCTION RELEASE | 15179 | MMG |



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	110-3683	SCREW, M4.55, 10mm, PHTF, PH, CS, BLK E-COAT	6
2	740-7114	RETAINING NUT	1
3	740-7190	NUT, M12X1.25, FLANGE, HE, CS, BO	2
4	740-7578	FLYWHEEL, SPINNER	1
5	740-7580	BEARING, 6001-2RS	2
6	740-7582	SPINDLE, HUB, SPINNER	1
7	740-7998	SPACER, FLYWHEEL, FLANGE	2
8	740-8148	SPACER, FLYWHEEL, L	1
9	740-8533	PULLEY, FLYWHEEL, NXT BELT	1
10	740-8534	HUB, FLYWHEEL, SPINNER BELT	1
11	740-8536	SPACER, FLYWHEEL, SPINNER BELT, DR SIDE	1
12	740-8597	END CAP, RUBBER, AXLE, FLYWHEEL, SPINNER	1
13	740-8958-XX	SHROUD, FLYWHEEL, S5/S7, RIGHT	1
14	740-8959-XX	SHROUD, FLYWHEEL, S5/S7, LEFT	1

NOTICE OF PROPRIETARY INFORMATION

THIS DOCUMENT SHALL NOT BE REPRODUCED NOR SHALL THE INFORMATION CONTAINED HEREIN BE USED BY OR DISCLOSED TO OTHER EXCEPT AS EXPRESSLY AUTHORIZED BY CORE HEALTH & FITNESS, LLC.

CLASS OF WORK		UNLESS OTHERWISE SPECIFIED DIMS ARE IN mm. TOLERANCES FOR MEASURE OF LENGTH ARE:						ANGLES = ±2°	
		0.5 to 3	> 3 to 6	> 6 to 30	> 30 to 120	> 120 to 400	> 400 to 1000	> 1000 to 2000	> 2000
FINE		±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	----
MEDIUM	X	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2
COARSE		±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	±4
VERY COARSE		-----	±0.5	±1	±1.5	±2.5	±4	±6	±8

P/N: N/A



INITIAL

DATE _____

DRAWN

MMG

CHECKED

J.O.M.

MM

4400 NE 77th Ave., Suite 300
Vancouver, WA 98662

CORE PART NO

740-8961-XX

REV

A

TITLE
ASSY, FLYWHEEL, S5/S7, BELT


SCALE: 1:5

SHEET 1 OF 1

SHEET SIZE: B

- A. ASSEMBLE ITEMS BEFORE PACKAGING
- B. PACKAGE ITEMS IN SUCH A MANNER THAT THEY WILL NOT BECOME DAMAGED DURING SHIPPING
- C. PACKAGE KIT IN A PLASTIC BAG WITH CORE H&F PART NUMBER, DESCRIPTION, REVISION, PO#; ONE KIT PER BAG
- D. LABEL PACKAGE TO INCLUDE:
 - i. PO# AND DATE
 - ii. ASSEMBLY NUMBER
 - iii. BAR CODE OF ASSEMBLY NUMBER (CODE 128)
 - iv. ASSEMBLY DESCRIPTION
 - v. ASSEMBLY REVISION
 - vi. WEIGHT (LBS/Kg)

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	050-5426	DECAL, HORIZ, HBAR, S5/S7, RT	1
2	050-5427	DECAL, HORIZ, HBAR, S5/S7, LT	1
3	740-7146	Washer, M8, Ø8.5xØ19x1.2mm, SS	1
4	740-7620	SCREW, M8X1.25, 20mm, SHCS	2
5	740-8177	SCREW, M6X1x20L, BH, HE, AS,BO	1
6	740-8257	INSERT, HBAR, FORE/AFT ADJUST	2
7	740-8259	END CAP, SLIDER, FEMALE	2
8	740-8262	SCREW, M4 X .7, 10mm, SHCS, HK, SS	2
9	740-8964	SLIDER, HANDLEBAR, TOP, S5/S7	1
10	740-8965	KIT, HBAR KNOB, F/A ADJUST, S5/S7	1
11	740-8966	WELDMENT, HBAR, PVC DIPPED, S5/S7	1



NOTICE OF PROPRIETARY INFORMATION

THIS DOCUMENT SHALL NOT BE REPRODUCED NOR SHALL THE INFORMATION CONTAINED HEREIN BE USED BY OR DISCLOSED TO OTHER EXCEPT AS EXPRESSLY AUTHORIZED BY CORE HEALTH & FITNESS, LLC.

MATERIAL	
SEE BOM	
FINISH	
N/A	
VENDOR: N/A	P/N: N/A



9

8

7

6

5

4

3

2

1

NOTES:

1. PACKAGING FOR SERVICE:

A. ASSEMBLE ITEMS BEFORE PACKAGING

B. PACKAGE ITEMS IN SUCH A MANNER THAT THEY WILL NOT BECOME DAMAGED DURING SHIPPING

C. PACKAGE KIT IN A PLASTIC BAG WITH CORE H&F PART NUMBER, DESCRIPTION, REVISION, PO#; ONE KIT PER BAG

D. LABEL PACKAGE TO INCLUDE:

i. PO# AND DATE

ii. ASSEMBLY NUMBER

iii. BAR CORE OF ASSEMBLY NUMBER (CODE 128)

iv. ASSEMBLY DESCRIPTION

v. ASSEMBLY REVISION

vi. WEIGHT (LBS/Kg)

REVISION HISTORY

REV	DATE	DESCRIPTION	ECO	BY
A	10/30/2015	PRODUCTION RELEASE	15170	MMG

9
1

2
1

10
1

4
1

7
2

6
2

8
1

5
2

3
2

1
1

DOCUMENT STATUS:

NOTICE OF PROPRIETARY INFORMATION

THIS DOCUMENT SHALL NOT BE REPRODUCED NOR SHALL THE INFORMATION CONTAINED HEREIN BE USED BY OR DISCLOSED TO OTHER EXCEPT AS EXPRESSLY AUTHORIZED BY CORE HEALTH & FITNESS, LLC.

CLASS OF WORK		UNLESS OTHERWISE SPECIFIED DIMS ARE IN mm. TOLERANCES FOR MEASURE OF LENGTH ARE:							ANGLES = ±2°	MATERIAL SEE BOM
		0.5 to 3	> 3 to 6	> 6 to 30	> 30 to 120	> 120 to 400	> 400 to 1000	> 1000 to 2000		
FINE		±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	----	FINISH N/A
MEDIUM	X	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	
COARSE		±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	±4	
VERY COARSE		----	±0.5	±1	±1.5	±2.5	±4	±6	±8	

VENDOR: N/A

P/N: N/A

THIRD ANGLE PROJECTION

DRAWN

CHECKED

APPROVED

INITIAL

MMG

DATE

10/30/15

U.O.M.

MM

CORE PART NO

740-8967

REV

A

TITLE

ASSY, HANDLEBAR, S5/S7

SCALE: 1:4

SHEET 1 OF 1

SHEET SIZE: B

CORE HEALTH & FITNESS, LLC

4400 NE 77th Ave., Suite 300

Vancouver, WA 98662

9

8

7

6

5

4

3

2

1

NOTES:

1. PACKAGING FOR SERVICE:
 - A. ASSEMBLE ITEMS BEFORE PACKAGING
 - B. PACKAGE ITEMS IN SUCH A MANNER THAT THEY WILL NOT BECOME DAMAGED DURING SHIPPING
 - C. PACKAGE KIT IN A PLASTIC BAG WITH CORE H&F PART NUMBER, DESCRIPTION, REVISION, PO#: ONE KIT PER BAG
 - D. LABEL PACKAGE TO INCLUDE:
 - i. PO# AND DATE
 - ii. ASSEMBLY NUMBER
 - iii. BAR CODE OF ASSEMBLY NUMBER (CODE 128)
 - iv. ASSEMBLY DESCRIPTION
 - v. ASSEMBLY REVISION
 - vi. WEIGHT (LBS/Kg)

REVISION HISTORY

REV	DATE	DESCRIPTION	ECO	BY
A	10/29/2015	PRODUCTION RELEASE	15170	MMG

J

J

1

1

H

H

G

G

F

F

E

E

D

D

C


C

E

B

A

A



DOCUMENT STATUS:

NOTICE OF PROPRIETARY INFORMATION

THIS DOCUMENT SHALL NOT BE REPRODUCED NOR SHALL THE INFORMATION CONTAINED HEREIN BE USED BY OR DISCLOSED TO OTHER EXCEPT AS EXPRESSLY AUTHORIZED BY CORE HEALTH & FITNESS, LLC.

CLASS OF WORK		UNLESS OTHERWISE SPECIFIED DIMS ARE IN mm. TOLERANCES FOR MEASURE OF LENGTH ARE:						ANGLES = $\pm 2^\circ$	
		0.5 to 3	> 3 to 6	> 6 to 30	> 30 to 120	> 120 to 400	> 400 to 1000	> 1000 to 2000	> 2000
FINE		± 0.05	± 0.05	± 0.1	± 0.15	± 0.2	± 0.3	± 0.5	----
MEDIUM	X	± 0.1	± 0.1	± 0.2	± 0.3	± 0.5	± 0.8	± 1.2	± 2
COARSE		± 0.2	± 0.3	± 0.5	± 0.8	± 1.2	± 2	± 3	± 4
VERY COARSE		----	± 0.5	± 1	± 1.5	± 2.5	± 4	± 6	± 8

MATERIAL
SEE BOM

FINISH	
N/A	

VENDOR: N/A

P/N: N/A

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	740-8962	ASSY, HANDLEBAR POST, 11 ADJ, S5/S7	1
2	740-8967	ASSY, HANDLEBAR, S5/S7	1
THIRD ANGLE PROJECTION			
			
		CORE HEALTH & FITNESS, LLC 4400 NE 77th Ave., Suite 300 Vancouver, WA 98662	
		CORE PART NO	REV
DRAWN	INITIAL MMG	DATE 10/29/15	740-8968 A
CHECKED			TITLE
APPROVED			ASSY, H-BAR&POST, 11 ADJ, S5/S7
	U.O.M.	MM	SCALE: 1:4 SHEET 1 OF 1 SHEET SIZE: B

987654321

NOTES:
1. PACKAGING FOR SERVICE:
A. ASSEMBLE ITEMS BEFORE PACKAGING
B. PACKAGE ITEMS IN SUCH A MANNER THAT THEY WILL NOT BECOME DAMAGED DURING SHIPPING
C. PACKAGE KIT IN A PLASTIC BAG WITH CORE H&F PART NUMBER, DESCRIPTION, REVISION, PO#; ONE KIT PER BAG
D. LABEL PACKAGE TO INCLUDE:
i. PO# AND DATE
ii. ASSEMBLY NUMBER
iii. BAR CORE OF ASSEMBLY NUMBER (CODE 128)
iv. ASSEMBLY DESCRIPTION
v. ASSEMBLY REVISION
vi. WEIGHT (LBS/Kg)

REVISION HISTORY

REV	DATE	DESCRIPTION	ECO	BY
A	12/10/2015	PRODUCTION RELEASE	15194	SV

DOCUMENT STATUS:

NOTICE OF PROPRIETARY INFORMATION
THIS DOCUMENT SHALL NOT BE REPRODUCED NOR SHALL THE INFORMATION CONTAINED HEREIN BE USED BY OR DISCLOSED TO OTHER EXCEPT AS EXPRESSLY AUTHORIZED BY CORE HEALTH & FITNESS, LLC.

CLASS OF WORK		UNLESS OTHERWISE SPECIFIED DIMS ARE IN mm. TOLERANCES FOR MEASURE OF LENGTH ARE:							MATERIAL SEE BOM
		0.5 to 3	> 3 to 6	> 6 to 30	> 30 to 120	> 120 to 400	> 400 to 1000	> 1000 to 2000	
FINE		±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	-----
MEDIUM	X	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2
COARSE		±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	±4
VERY COARSE		-----	±0.5	±1	±1.5	±2.5	±4	±6	±8

FINISH
N/A

VENDOR:

P/N:

THIRD ANGLE PROJECTION

	INITIAL	DATE
DRAWN	SV	12/10/2015
CHECKED		
APPROVED		

CORE HEALTH & FITNESS, LLC
4400 NE 77th Ave., Suite 300
Vancouver, WA 98662

CORE PART NO

740-8969

REV

A

TITLE

ASSY,SEATPOST W/ SEAT S5

SCALE: 1:5

SHEET 1 OF 1

SHEET SIZE: B

987654321

987654321

NOTES:
1. COLOR DESIGNATOR PER -XX AS SPECIFIED IN SOP 620-8222
2. CLEAN MATING SURFACE WITH DENATURED ALCOHOL PRIOR TO ADHERING PADS
3. FOLLOW MFG SPEC ON PROPER INSTALLATION OF RIVET FASTENER

REVISION HISTORY

REV	DATE	DESCRIPTION	ECO	BY
A	12/14/2015	PRODUCTION RELEASE	15199	MMG

Exploded view diagram of a front stabilizer assembly. Callouts 1-9 identify components: 1. Screws, 2. Screws, 3. Washers, 4. Rivet nuts, 5. Screws, 6. Bolts, 7. Feet, 8. Weld, 9. Pad. Feature triangles indicate specific details or tolerances.

CLASS OF WORK	UNLESS OTHERWISE SPECIFIED DIMS ARE IN mm. TOLERANCES FOR MEASURE OF LENGTH ARE:								MATERIAL SEE BOM
	0.5 to 3	> 3 to 6	> 6 to 30	> 30 to 120	> 120 to 400	> 400 to 1000	> 1000 to 2000	> 2000	
FINE	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	-----	
MEDIUM	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	
COARSE	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	±4	
VERY COARSE	-----	±0.5	±1	±1.5	±2.5	±4	±6	±8	

THIRD ANGLE PROJECTION

DRAWN

CHECKED

APPROVED

INITIAL

MMG

DATE

12/14/15

CORE PART NO

740-8977-XX

TITLE

ASSY, FRONT STABILIZER, S5

SCALE: 1:4

SHEET 1 OF 1

SHEET SIZE: B

VENDOR: N/A

P/N: N/A

DOCUMENT STATUS:

NOTICE OF PROPRIETARY INFORMATION
THIS DOCUMENT SHALL NOT BE REPRODUCED NOR SHALL THE INFORMATION CONTAINED HEREIN BE USED BY OR DISCLOSED TO OTHER EXCEPT AS EXPRESSLY AUTHORIZED BY CORE HEALTH & FITNESS, LLC.

CORE HEALTH & FITNESS, LLC

4400 NE 77th Ave., Suite 300
Vancouver, WA 98662

987654321

REVISION HISTORY

REV	DATE	DESCRIPTION	ECO	BY
A	12/14/2015	PRODUCTION RELEASE	15199	MMG

Exploded view diagram of a front stabilizer assembly. Callouts 1-9 identify components: 1. Screws, 2. Screws, 3. Washers, 4. Rivet nuts, 5. Screws, 6. Bolts, 7. Feet, 8. Weld, 9. Pad. Feature triangles indicate specific details or tolerances.

CLASS OF WORK	UNLESS OTHERWISE SPECIFIED DIMS ARE IN mm. TOLERANCES FOR MEASURE OF LENGTH ARE:								MATERIAL SEE BOM
	0.5 to 3	> 3 to 6	> 6 to 30	> 30 to 120	> 120 to 400	> 400 to 1000	> 1000 to 2000	> 2000	
FINE	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	-----	
MEDIUM	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	
COARSE	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	±4	
VERY COARSE	-----	±0.5	±1	±1.5	±2.5	±4	±6	±8	

THIRD ANGLE PROJECTION

DRAWN

CHECKED

APPROVED

INITIAL

MMG

DATE

12/14/15

CORE PART NO

740-8977-XX

TITLE

ASSY, FRONT STABILIZER, S5

SCALE: 1:4

SHEET 1 OF 1

SHEET SIZE: B

VENDOR: N/A

P/N: N/A

DOCUMENT STATUS:

NOTICE OF PROPRIETARY INFORMATION
THIS DOCUMENT SHALL NOT BE REPRODUCED NOR SHALL THE INFORMATION CONTAINED HEREIN BE USED BY OR DISCLOSED TO OTHER EXCEPT AS EXPRESSLY AUTHORIZED BY CORE HEALTH & FITNESS, LLC.

CORE HEALTH & FITNESS, LLC

4400 NE 77th Ave., Suite 300
Vancouver, WA 98662

987654321

REVISION HISTORY

REV	DATE	DESCRIPTION	ECO	BY
A	12/14/2015	PRODUCTION RELEASE	15199	MMG

Exploded view diagram of a front stabilizer assembly. Callouts 1-9 identify components: 1. Screws, 2. Screws, 3. Washers, 4. Rivet nuts, 5. Screws, 6. Bolts, 7. Feet, 8. Weld, 9. Pad. Feature triangles indicate specific details or tolerances.

CLASS OF WORK	UNLESS OTHERWISE SPECIFIED DIMS ARE IN mm. TOLERANCES FOR MEASURE OF LENGTH ARE:								MATERIAL SEE BOM
	0.5 to 3	> 3 to 6	> 6 to 30	> 30 to 120	> 120 to 400	> 400 to 1000	> 1000 to 2000	> 2000	
FINE	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	-----	
MEDIUM	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	
COARSE	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	±4	
VERY COARSE	-----	±0.5	±1	±1.5	±2.5	±4	±6	±8	

THIRD ANGLE PROJECTION

DRAWN

CHECKED

APPROVED

INITIAL

MMG

DATE

12/14/15

CORE PART NO

740-8977-XX

TITLE

ASSY, FRONT STABILIZER, S5

SCALE: 1:4

SHEET 1 OF 1

SHEET SIZE: B

VENDOR: N/A

P/N: N/A

DOCUMENT STATUS:

NOTICE OF PROPRIETARY INFORMATION
THIS DOCUMENT SHALL NOT BE REPRODUCED NOR SHALL THE INFORMATION CONTAINED HEREIN BE USED BY OR DISCLOSED TO OTHER EXCEPT AS EXPRESSLY AUTHORIZED BY CORE HEALTH & FITNESS, LLC.

CORE HEALTH & FITNESS, LLC

4400 NE 77th Ave., Suite 300
Vancouver, WA 98662

9

8

7

6

5

4

3


2

1

NOTES:
1. TORQUE TO 10 Nm (7.4 FT-LBS)
2. TORQUE TO 5.9 Nm (4.4 FT-LBS)
3. APPLY LOCTITE 609 ON OUTER RACE

REVISION HISTORY

REV	DATE	DESCRIPTION	ECO	BY
A	12/15/2015	PRODUCTION RELEASE	15199	MMG



ITEM NO.

PART NUMBER

DESCRIPTION

QTY.

1	110-3556	SCREW,M6X16, HSCHS,SS	1
2	110-3557	SCREW,M5X0.8,BHC,HE,SS	1
3	140-3558	BEARING, CLUTCH, 16mm	1
4	740-8539	ASSY, ROLLER, IDLER, NXT BELT'	1
5	740-8541	DIE SPRING GUIDE ROD, BELT SPINNER	1
6	740-8542	ASSY,IDLER PLATE,SPINNER BELT	1

THIRD ANGLE PROJECTION



CORE HEALTH & FITNESS, LLC

4400 NE 77th Ave., Suite 300

Vancouver, WA 98662

CORE PART NO

740-9015

REV

A

TITLE

ASSY, IDLER, S5

SCALE: 1:2

SHEET 1 OF 1

SHEET SIZE: B

CLASS OF WORK

UNLESS OTHERWISE SPECIFIED DIMS ARE IN mm. TOLERANCES FOR MEASURE OF LENGTH ARE:

ANGLES = ±2°

MATERIAL
SEE BOM

	0.5 to 3	> 3 to 6	> 6 to 30	> 30 to 120	> 120 to 400	> 400 to 1000	> 1000 to 2000	> 2000
FINE	±0.05	±0.05	±0.1	±0.15	±0.2	±0.3	±0.5	-----
MEDIUM	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2
COARSE	±0.2	±0.3	±0.5	±0.8	±1.2	±2	±3	±4
VERY COARSE	-----	±0.5	±1	±1.5	±2.5	±4	±6	±8

FINISH
N/A

VENDOR: N/A

P/N: N/A

DOCUMENT STATUS:

NOTICE OF PROPRIETARY INFORMATION

THIS DOCUMENT SHALL NOT BE REPRODUCED NOR SHALL THE INFORMATION CONTAINED HEREIN BE USED BY OR DISCLOSED TO OTHER EXCEPT AS EXPRESSLY AUTHORIZED BY CORE HEALTH & FITNESS, LLC.

9

8

7

6

5

4

3

2

1

987654321

NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ASSEMBLE ITEMS BEFORE PACKAGING.

2. PACKAGE ITEMS IN A MANNER THAT THEY WILL NOT BE DAMAGED DURING SHIPPING/STORAGE.

3. PACKAGE KIT IN A PLASTIC BAG WITH P/N, DESCRIPTION, REVISION, PO#. ONE KIT PER BAG.

4. LABEL PACKAGE TO INCLUDE

a. PO NUMBER AND DATE

b. ASSEMBLY NUMBER

c. BAR CODE OF ASSEMBLY NUMBER (CODE 128)


d. ASSEMBLY DESCRIPTION

e. ASSEMBLY REVISION

f. WEIGHT (LBS / KGs)

REVISION HISTORY

REV	DATE	DESCRIPTION	ECO	BY
A	3/21/2017	INITIAL RELEASE	15648	BA



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	740-9239	ASSY, POST, HBAR 50mm, S5/S7	1
2	740-9238	ASSY, TOP, HBAR 50mm, S5/S7	1

MATERIAL
SEE BOM

FINISH
SEE BOM

VENDOR:

THIRD ANGLE PROJECTION

DRAWN
B. ALVEY

CHECKED

APPROVED

INITIAL

DATE

U.O.M.

MM

3/17/17

CORE HEALTH & FITNESS, LLC

4400 NE 77th Ave., Suite 300

Vancouver, WA 98662

CORE PART NO

740-9270

REV

A

TITLE

ASSY, HBAR & POST, 50mm W/WEAR STRIP

SCALE: 1:5

SHEET 1 OF 1

SHEET SIZE: B

DOCUMENT STATUS:
RELEASE

NOTICE OF PROPRIETARY INFORMATION

THIS DOCUMENT SHALL NOT BE REPRODUCED NOR SHALL THE INFORMATION CONTAINED HEREIN BE USED BY OR DISCLOSED TO OTHER EXCEPT AS EXPRESSLY AUTHORIZED BY CORE HEALTH & FITNESS, LLC.

987654321